01-16-03

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

REQUEST

A TRAIT

CONTINUED EXAMINATION (RCE) **TRANSMITTAL**

Address to: **Commissioner for Patents Box RCE** Washington, DC 20231

mection of information timess it	displays a valid Chile Control number:
Application Number	09/601,912 #1Vm
Filing Date	August 9, 2000 // 18
First Named Inventor	Vasilios KANELLOPOULOS
Art Unit	1714
Examiner Name	Katarzyna W. Lee
Attorney Docket Number	6-1034-040

Request for Continued Examination (RCE) under 37 CF Request for Continued Examination (RCE) practice under 37 CFR 1.114 does not ap 1995, or to any design application. See Instruction Sheet for RCEs (not to be submit	ply to any utility or plant application filed prior to June 8, ted to the USPTO) on page 2.
1. Submission required under 37 CFR 1.114	ECE
	previously filed on
2. Miscellaneous a. Suspension of action on the above-identified application is reperiod of months. (Period of suspension shall not exceed b. Other 3. Fees The RCE fee under 37 CFR 1.17(e) is required by 37 CFR 1.114 when the RCE	3 months; Fee under 37 CFR 1.17(i) required)
a. The Director is hereby authorized to charge the following fe Deposit Account No. 08-1650 i. RCE fee required under 37 CFR 1.17(e) ii. Extension of time fee (37 CFR 1.136 and 1.17) iii. Other filing fees associated with this	
b. X Check in the amount of \$_750 enclosed c. Payment by credit card (Form PTO-2038 enclosed) WARNING: Information on this form may become publi be included on this form. Provide credit card information	on and authorization on PTO-2038.
SIGNATURE OF APPLICANT, ATTORNEY	
Name (Print / Type) Richard L. Fix Signature	Registration No. (Attorney/Agent) 28,297 Date 01/15/2003

CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner For Patents, Box RCE, Washington, DC 20231, or facsimile transmitted to the U.S. Patent and Trademark

on the date shown	below.			
Name (Print/Type)	Deborah M. Potts			<u> </u>
Signature	bleford M. (Totto	Date	01/15/2003	

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND Fees and Completed Forms to the following address: Assistant Commissioner for Patents, Box RCE, Washington, DC 20231.

01/17/2003 HAHMED1 00000094 09601 01 FC:1801



Atty. Docket No. 6-1034-040

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Vasilios KANELLOPOULOS, Isabelle LOUIS-JOSEH-DOGUE Applicants:

Vincent Daniel McGINNISS, Durvodham MANGARAJ, and

Tomoki Tsuchiva NAKAMURA

Serial No.: 09/601,912

Group Art Unit: 1714

Filed:

August 9, 2000

Examiner: Katarzyna W. Lee

For:

A POLYMERIC COMPOSITION FOR FRICTION ELEMENTS

RESPONSE TO FINAL REJECTION MAILED OCTOBER 29, AND PERSONAL INTERVIEW HELD DECEMBER 12, 2002 WITH

BOX FEE AMENDMENT Assistant Commissioner for Patents Washington, D.C. 20231

Dear Sir:

TECEIVED
TO 12003
TO 12003
TO 12003 This is in response to the Office Action mailed October 29, 2002; and to a personal interview kindly granted by Examiner Katarzyna W. Lee with attorneys for applicants' William Wright and Stephen Emery on December 12, 2002.

IIMURO ET AL. FAILS TO ANTICIPATE THE SUBJECT MATTER OF CLAIMS 1, 5 TO 7 AND 12 TO 14 UNDER 35 U.S.C 102(b)

It is earnestly solicited that the rejected claims are clearly not anticipated by Iimuro et al. (U.S. patent 5,132,349). Iimuro et al. teaches (col. 1, lines 11 to 28) a phenol-based resin composition having enhanced properties, accomplished by dispersing a

> I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to in mmissionar of Parents and Trademata

sufficiently crosslinked silicone rubber in a phenol-based resin in the form of fine particles; and prepared by the

"steps of mixing a heat-melted phenol-based resin with an emulsifier, organopolysiloxane having silanol groups on both ends of molecular chain, a cross-linking agent for silanol condensation and a catalyst for the silanol crosslinking; conducting a condensation reaction of said organopolysiloxane in said phenol-based resin with continuous or intermittent charge of water to the resultant mixture; and removing unnecessary water after finishing the reaction."

Timuro et al. teaches (col. 2, lines 32 to 38) the resultant silicone rubber is dispersed in the phenol-based resin in the form of fine particles, the size of particles being governed at least in part by the relative amount of the emulsifier present (col. 4, lines 10 to 17). Iimuro et al. addresses the problem in the prior art that the crosslinking reaction of the organopolysilanol progresses (in the absence of the phenol-based resin carrier) continuously during the course of addition of the three components, i.e., organopolysiloxane, crosslinking agent for silanol condensation, and catalyst for silanol condensation (col. 6, lines 31 to 36). Iimuro et al. emphasizes (col. 6, lines 38 to 45, emphasis added):

After all components which form silicone rubber are added to the phenol-based resin, <u>crosslinking</u> reaction of the silicone rubber is carried out in the phenol-based resin while continuously or intermittently adding water to the resultant mixture.

The Examiner urges (page 4 of Office Action mailed April 10, 2002; note also page 3, line 21, of Amendment filed August 9, 2002; and also at the personal interview on December 12, 2002) that in Iimuro et al. "a condensation will occur inherently causing phenolic groups and silanol groups of the two resins to bind." The Examiner states (bottom of page 3 of Office Action mailed October 29, 2002, emphasis added), "Iimuro indicates the reaction of silanol groups and phenol-based resin."

However, it is not clear from Iimuro et al. that the silanol groups react with the phenol-based resin. Iimuro et al. repeatedly indicates that the reaction of the silanol containing compounds takes place in the phenol-based resin. As acknowledged by the Examiner, Iimuro et al., is silent as to any reaction of the hydroxyl groups of the phenol-based resin with the terminal silanol groups of the organopolysiloxane resin. Moreover, the Examiner acknowledges applicants' invention differs from

"Iimuro in recitation of different temperature ranges as well as different phenolic monomers, which can be utilized in making binders modified with organopolysiloxane."

Additionally, Iimuro et al. does not mention or address the problem of water absorption in a friction element made from the polymeric composition due to unreacted hydroxyl groups. Moreover, applicants' Tables 2 and 6 (page 6, lines 9 to 17; page 9, lines 1 to

6; respectively) show that the time needed for water to disappear from the surfaces of specimens prepared using applicants' compositions corresponded to almost that for evaporation, indicating the water absorption for applicants' resin formulations is very low.

In summary, Iimuro et al. repeatedly teaches (note col. 2, lines 32 to 38, for example) the crosslinking reaction of the silicone compound takes place in the phenol-based resin, and that the resultant silicone rubber is formed dispersed in the phenol based resin in the form of fine particles. There is no indication in Iimuro et al. that the silanol groups of the silicone compounds crosslink with the hydroxy groups of the phenol based resin. Iimuro et al. teach (col. 5, lines 25 to 30) use of organotin compounds as catalyst for the silanol condensation. Iimuro et al. teaches the phenol-based resin, such as a Novolak resin, is obtained by reacting one or more compounds having a phenolic hydroxyl group with aldehydes such as formaldehyde, etc. (col. 2, lines 40 to 60).

CLAIMS 2 TO 4, 8 TO 11 AND 15 TO 20 ARE PATENTABLE UNDER 35 U.S.C. 103 OVER IIMURO ET AL. TAKEN WITH KANE ET AL

The Examiner urges (page 6 of Office Action mailed April 10, 2002),

"Kane discloses another binder utilized in disk pads as part of friction material. In col. 9 and 10 of prior art Kane, phenolic resin is reacted with formaldehyde to form phenolic resin, wherein the resulting resin in col. 10

contains at least of non aromatic alcoholic group HOCH₂-required by the claims of the present invention."

Kane et al. teaches (col. 9) phenolic Novolac resins are thermoplastic materials and are made by heating phenol with a deficiency of formaldehyde in the presence of an acid catalyst. Kane et al. teaches that a phenol having a methylol group (-CH2OH) as an intermediate produced in the initial reaction, but which in subsequent heating and water addition steps reacts to form a Novolac resin mostly devoid of methylol groups (see reaction diagram in col. 9). Kane et al. teaches (col. 4, lines 40 to 58), the amount of aldehyde donor, such as hexamethylenetetramine, that is combined with the phenol determines the type of phenolic resin formed, i.e, phenolic resole or phenolic Novolak. Kane et al. teaches (col. 9, lines 57 to 63) the phenolic Novolacs do not condense further by themselves unless additional aldehyde is added. Kane et al. teaches (col. 10, lines 59 et seq.) phenolic resoles will self condense with heat to form a cross-linked phenolic polymer without the addition of any other curing agent, although an acid catalyst may be used to reduce the curing time. Kane et al. teaches (lines 56 to 59 of col. 1), "Another way is to combine a phenolic novolac resin, already prepared by reacting phenol and an aldehyde, with a formaldehyde donor and a silicon intermediate."

While Kane et al. teaches (col. 3, lines 50 et seq.) their phenolic compositions are prepared using a sufficient amount of silicone intermediate to form phenolic siloxane compositions, which phenolic siloxane compositions are disclosed by Kane et al. (paragraph bridging columns 3 and 4) to comprise an <u>interpenetrating polymer network (IPN)</u>. Kane et al. indicate (col. 4, lines 1 to 6, emphasis added) their IPN's

"are composed of chemically dissimilar crosslinking polymer chains; namely, siloxane polymer chains and phenolic polymer chains, which have little-or-no-chemical bonding therebetween. The siloxane and phenolic polymer chains are held together by permanent chain entanglements."

Kane et al. additionally teach (paragraph bridging columns 15 and 16;
and col. 16, lines 45 to 61),

"The silanol-functional silicone intermediates both polymerize to form a siloxane polymer and copolymerize with the phenolic polymer to form a phenolic siloxane composition. Hydrolysis of the alkoxy-functional silicone intermediates can optionally be accelerated by catalytic action of the organometallic compound and the amine compound. Accordingly, the resulting composition comprises a IPN of phenolic polymer and siloxane polymer, wherein the phenolic polymer has siloxane groups in the backbone of the polymer.

* * *

It is theorized that during the formation of the phenolic resin, and subsequent polymerization of the resulting phenolic resin, silanol groups of the silicone intermediate both react with silanol groups of the other silicone intermediates, forming a siloxane polymer, and react with phenolic hydroxyls and methylol hydroxyls of the phenolic resin, forming a phenolic polymer having siloxane groups in the polymer.

In summary, it would thus appear from Kane et al. that the silanol groups of the siloxane component react to form siloxane polymer chains and the hydroxyl groups of the phenolic resin react to form phenolic polymer chains, with the indication of only a theoretical possibility that some of the silanol groups react with phenolic hydroxyls and methylol hydroxyls. However, the extent of such cross reaction is not taught by Kane et al. It is respectfully urged that Kane et al. does not teach, and would not have rendered obvious, a polymeric composition and method of making same wherein the bonding between the phenolic groups and the terminal silanol groups is substantially complete.

REJECTION OF CLAIM 3 UNDER 35 U.S.C. 112

The Examiner urges that "n" as it appears in claim 3 must be defined. Applicants' specification states that the resin containing phenolic groups in claim 3 is, for instance, a commercial product sold under the name of Xylox by Mitsui Toatsu Chemicals. The range of "n" would thus be reasonably determinable by those in the art and reasonably definite within the meaning of 35 U.S.C. 112.

The term "hexamine" in is used in claim 6. To complete the record, "Hexamine" is included as a synonym for "hexamethylenetetramine" (page C-327, Handbook of Chemistry and Physics, 54th Edition, 1973-1974). Thus, hexamine, especially given the